


















LED Solar Garden Light




No.	Picture	Specification		Packing			
1		Model No.:	TT-302		L(cm)	W(cm)	H(cm)
		Name:	Double Heads Allred Solar Yard Light 2.5m	1pcs packed size:	82	63	45.5
		Solar panel:	Monocrystalline 10V/25W	2pcs packed size:			
		Battery:	18650 lithium 7.4V/8800mAh	CTN CBM	0.24		
		Light source	SMD2835 PCS, single color 8W*2	CTN CUFT	8.30		
		Lumen:	800LM	No./1pc	1		
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs			
		Working time	8+1h at dawn (work for 8h when the night come, work again for 1h at dawn)	20' GP			
		Charging time	3.5h	40'GP			
		Function	Light sensor	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)	12.08		
		Material	Die-casting aluminum + glass	G.W/1pc: (KG)	15.27		
		Lampbody color	Black + Red	N.W/2pcs: (KG)			
		Cable	Two coils 2*0.47mm cable, length: 1.9m	G.W/2pcs: (KG)			
				Remark	2.8m N.W:13.01kg, G.W:16.18kg		
2		Model No.:	TT-313		L(cm)	W(cm)	H(cm)
		Name:	Double Head Horn Solar Yard Light 2.5m	1pcs packed size:	88	63	45.5
		Solar panel:	Monocrystalline silicone 10V/25W	2pcs packed size:			
		Battery:	18650 Lithium 7.4V/8800mAh	CTN CBM	0.25		
		Light source	SMD2835 PCS, single 8W*2	CTN CUFT	8.91		
		Lumen:	800LM	No./1pc	1		
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs			
		Working time	8+1h at dawn (work for 8h when the night come, work again for 1h at dawn)	20' GP			
		Charging time	3.5h	40'GP			
		Function	Light sensor	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)	11.5		
		Material	Die-casting aluminum+ glass	G.W/1pc: (KG)	14.5		
		Lampbody color	Black + Red	N.W/2pcs: (KG)			
		Cable	Two coils 2*0.47mm cable,length:1.9m	G.W/2pcs: (KG)			
				Package mode	Eco-friendly pearl cotton blocks and K-K140 cartons		
		Remark	2.8m N.W:12.5, G.W: 15.5				
3	 <p>23.5cm 15cm 200cm 底18cm</p>	Model No.:	TT-G088		L(cm)	W(cm)	H(cm)
		Name:	Hourglass Solar Courtyard Light Control 2M	1pcs packed size:	31	27	26.5
		Solar panel:	Polycrystalline 5V/3.5W	2pcs packed size:	52	27	26.5
		Battery:	18650lithium 3.7V/4000mAh*2	CTN CBM	0.04		
		Light source	SMD2835 20PCS, single color 3W*2	CTN CUFT	1.31		
		Lumen:	250LM	No./1pc	1		
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs	2		
		Working time	9-11H	20' GP			
		Charging time	3.5h	40'GP			
		Function	Light switch	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)	1.28		
		Material	Die-casting aluminum +PC lampshade	G.W/1pc: (KG)	1.60		
		Lampbody color	Black	N.W/2pcs: (KG)	2.56		
		Size:	Ordinary paint lamp post	G.W/2pcs: (KG)	3.92		
				Package mode	Eco-friendly pearl cotton sk-K140 cartons		
		Remark	The above packaging data does not contain a light pole				




No.	Picture	Specification	Packing				
4		Model No.:					
		Name:	Double Head Mini UFO Solar Garden Lamp 2M				
		Solar panel:	Polycrystalline 5V/3.5W*2				
		Battery:	18650lithium 3.7V/4000mAh*2				
		Light source	SMD2835 20PCS, single color 3W*2				
		Lumen:	250LM				
		CCT	CW (6500-7000K) , WW (2800-3100K)				
		Working time	9-11H				
		Charging time	3.5h				
		Function	Light switch				
		IP Grade	IP44				
		Material	Die-casting aluminum + PC lampshade				
		Lampbody color	Black				
5		Model No.:					
		Name:	2m Mini UFO Solar Garden Lamp				
		Solar panel:	Polycrystalline 5V/3.5W				
		Battery:	18650lithium 3.7V/4000mAh*2				
		Light source	SMD2835 20PCS, single color 3W*2				
		Lumen:	250LM				
		CCT	CW (6500-7000K) , WW (2800-3100K)				
		Working time	9-11H				
		Charging time	3.5h				
		Function	Light switch				
		IP Grade	IP44				
		Material	Die-casting aluminum + PC lampshade				
		Lampbody color	Black				
6		Model No.:	TT-326M		L(cm)	W(cm)	H(cm)
		Name:	Middle Peacock Solar Street Lamp	1pcs packed size:	71	27	42
		Solar panel:	Monocrystalline 10V/25W	2pcs packed size:	71	35	48.5
		Battery:	18650lithium 7.4V/8800mAh	CTN CBM	0.08		
		Light source		CTN CUFT	2.84		
		Lumen:	1200LM	No./1pc	1		
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs	2		
		Working time	8+1h at dawn (work for 8h when the night come, work again for 1h at dawn)	20' GP			
		Charging time	3.5h	40'GP			
		Function	Light control, Controller output set to 1H8W, 3H6W, 4H3W morning 1H3W	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)			
		Material	Die-casting aluminum + PC lampshade	G.W/1pc: (KG)	5.61		
		Lampbody color	Gold + White	N.W/2pcs: (KG)	8.02		
		G.W/2pcs: (KG)	9.63				
		Package mode	Eco-friendly pearl cotton blocks and K-K140 cartons				




No.	Picture	Specification		Packing			
				L(cm)	W(cm)	H(cm)	
7		Model No.:	TT-326L		L(cm)	W(cm)	H(cm)
		Name:	Large Peacock Solar Street Lamp	1pcs packed size:	71	27	42
		Solar panel:	Monocrystalline 5V/35W	2pcs packed size:	71	35	48.5
		Battery:	18650lithium 7.4V/13200mAh	CTN CBM	0.08		
		Light source		CTN CUFT	2.84		
		Lumen:	1800LM	No./1pc	1		
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs	2		
		Working time	8+1h at dawn (work for 8h when the night come, work again for 1h at dawn)	20' GP			
		Charging time	3.5h	40'GP			
		Function	Light control, controller output set to 1H12W, 3H8W, 4H6W morning 1H6W	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)	4.83		
		Material	Die-casting aluminum + PC lampshade	G.W/1pc: (KG)	5.36		
		Lampbody color	Gold + White	N.W/2pcs: (KG)	9.61		
				G.W/2pcs: (KG)	11.12		
		Package mode	Eco-friendly pearl cotton blocks and K-K140 cartons				
8		Model No.:	TT-318		L(cm)	W(cm)	H(cm)
		Name:	Big UFO Solar Street Light	1pcs packed size:	52	52	23.5
		Solar panel:	Monocrystalline 5V/25W	2pcs packed size:			
		Battery:	32700 Phosphate Iron Lithion 3.2V/24000mAh	CTN CBM	0.06		
		Light source	SMD2835 20PCS*4, 25W (on bright status)	CTN CUFT	2.24		
		Lumen:	2000LM	No./1pc	1		
		CCT	CW (6500-7000K) , WW (3000-3200K)	No./2pcs			
		Working time	Over 10H	20' GP			
		Charging time	about 5h	40'GP			
		Function	Motion sensor+remote control, open total switch, enter remote mode, ON/OFFkey: open or close light ☼、●key: bright 100%、 half bright 50% +、 -key: add or reduce lighting strength extent based on 5% for one time. M key:transfer remote to motion sensor. AUTO key: smart light and the watts come down automatically. 3H、 5H、 8H key: fixedt time 3H、 5H、 8H,then off. note: the remote works after you transfer remote mode	40'HQ			
		IP Grade	IP55	N.W/1pc: (KG)	5.21		
		Material	Die-casting aluminum + PC lampshade + Galvanized pole	G.W/1pc: (KG)	6.64		
		Lampbody color	Black	N.W/2pcs: (KG)			
		Size:	Lampbody:510*190, Aperture:76mm	G.W/2pcs: (KG)			
Other:	Open the total switch, then it can work. Better to install it in 3-5M.						
9		Model No.:	TT-317		L(cm)	W(cm)	H(cm)
		Name:	Light Cube Solar Street Lights	1pcs packed size:	56	56	51
		Solar panel:	Polycrystalline 10V/20W	2pcs packed size:			
		Battery:	32700 Phosphate Iron Lithion 3.2V/8800mAh	CTN CBM	0.16		
		Light source	Osram SMD3030 32PCS 15W single color	CTN CUFT	5.65		
		Lumen:	1200LM	No./1pc	1		
		CCT	CW (6500-7000K) , WW (3000-3200K)	No./2pcs			
		Working time	8+1h at dawn (work for 8h when the night come, work again for 1h at dawn)	20' GP			
		Charging time	3.5h	40'GP			
		Function	Light control, controller output set to 1H8W, 3H6W, 4H3W morning 1H3W	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)	6.5		
		Material	Die-casting aluminum + PC lampshade + Iron lamp pole	G.W/1pc: (KG)	7.8		
		Lampbody color	Black	Package mode	Eco-friendly pearl cotton blocks and K-K140 cartons		
				Remark	The above packaging data does not contain a light pole		





No.	Picture	Specification		Packing			
10		Model No.:	TT-319S				
		Name:	Small Dolphin Solar Street Lamp				
		Solar panel:	Polycrystalline 18V/30W				
		Battery:	18650lithium 11.1V/12000mAh				
		Light source	Osram SMD3030 40PCS, single color 20W(30V)				
		Lumen:	1600LM				
		CCT	CW (6300-6500K)				
		Working time	8-1 Morning light (black light on 8 hours after turning off, light up before dawn for 1 hour)				
		Charging time	3.5h				
		Function	Light control, controller program output set to 1H15W (500mAH), 2H9W (300mAh), 5H6W (200mAh) morning 1H6W (200mAh)				
		IP Grade	IP65				
		Material	Aluminum + PC				
		Lampbody color	Black + White				
		Size:					
Cable	4 coils cable with 1m cable, male cable 40cm, female 60cm						
11		Model No.:	TT-319M		L(cm)	W(cm)	H(cm)
		Name:	Middle Dolphin Solar Street Lamp	1pcs packed size:	72	36	58.5
		Solar panel:	Polycrystalline 18V/50W	2pcs packed size:			
		Battery:	18650 lithium 11.1V/15600mAh	CTN CBM		0.15	
		Light source	Osram SMD3030 50PCS, single color 35W	CTN CUFT		5.35	
		Lumen:	3000LM	No./1pc		1	
		CCT	CW (6300-6500K)	No./2pcs			
		Working time	8+1h at dawn (work for 8h when the night come, work again for 1h at dawn)	20' GP			
		Charging time	3.5h	40'GP			
		Function	Light control, controller program output set to 1H20W (600mAH), 3H12W (400mAh), 4H9W (300mAh) morning 1H9W (300mAh)	40'HQ			
		IP Grade	IP65	N.W/1pc: (KG)		8.73	
		Material	Aluminum + PC	G.W/1pc: (KG)		10.21	
		Lampbody color	Black + White	N.W/2pcs: (KG)			
		Cable	4coils cable with 1m cable, male cable 40cm, female 60cm	G.W/2pcs: (KG)			
		Package mode		Eco-friendly pearl cotton blocks and K-K140 cartons			
12		Model No.:	TT-319L				
		Name:	Large Dolphin Solar Street Lamp				
		Solar panel:	Polycrystalline 18V/70W				
		Battery:	18650lithium 11.1V/20800mAh				
		Light source	Osram SMD3030 60PCS, single color50W				
		Lumen:	4000LM				
		CCT	CW (6300-6500K)				
		Working time	8+1h at dawn (work for 8h when the night come, work again for 1h at dawn)				
		Charging time	3.5h				
		Function	Optical control, controller program output is set to 1H30W (900mAH), 2H20W(600mAh, 5H12W (350mAh)晨1H15W (450mAh)				
		IP Grade	IP65				
		Material	Aluminum + PC				
		Lampbody color	Black + White				
		Cable	4coils cable with 1m cable, male cable 40cm, female 60cm				

No.	Picture	Specification		Packing			
		Model No.:	TT-11618		L(cm)	W(cm)	H(cm)
13		Name:	Cusp Curved Six Angle Yard Light 1.1M	1pcs packed size:	48	28	28
		Solar panel:	Monocrystalline 6V/2.5W	2pcs packed size:	51	48	28
		Battery:	18650 lithium battery 3.7V/2200mAh	CTN CBM	0.07		
		Light source	18pcs LED beads, CW+ WW	CTN CUFT	2.42		
		Lumen:	120LM	No./1pc	1		
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs	2		
		Working time	10-12h	20' GP			
		Charging time	3.5H	40'GP			
		Ffunction	Light switch, switch tranfer CW or WW	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)	1.68		
		Material	Die-casting aluminum + Glass	G.W/1pc: (KG)	2.53		
		Lampbody color	Brown or Black	N.W/2pcs: (KG)	3.36		
		Size:	H1.1m、 1.75m、 2.15m	G.W/2pcs: (KG)	4.68		
				Remark	package do not included pole		
14		Model No.:	TT-11618		L(cm)	W(cm)	H(cm)
		Name:	Cusp Curved Six Angle Yard Light 1.75M	1pcs packed size:	48	28	28
		Solar panel:	Monocrystalline 6V/2.5W	2pcs packed size:	51	48	28
		Battery:	18650 lithium battery 3.7V/2200mAh	CTN CBM	0.07		
		Light source	18pcs LED beads, CW+ WW	CTN CUFT	2.42		
		Lumen:	120LM	No./1pc	1		
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs	2		
		Working time	10-12h	20' GP			
		Charging time	3.5H	40'GP			
		Function	Lght switch,switch tranfer CW or WW	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)	1.68		
		Material	Die-casting aluminum + Glass	G.W/1pc: (KG)	2.53		
		Lampbody color	Brown or Black	N.W/2pcs: (KG)	3.36		
		Size:	H1.1m、 1.75m、 2.15m	G.W/2pcs: (KG)	4.68		
		Remark	package donot included pole				
15		Model No.:	TT-11618		L(cm)	W(cm)	H(cm)
		Name:	Cusp Curved Six Angle Yard Light 2.15M	1pcs packed size:	48	28	28
		Solar panel:	Monocrystalline 6V/2.5W	2pcs packed size:	51	48	28
		Battery:	18650 lithium battery 3.7V/2200mAh	CTN CBM	0.07		
		Light source	18pcs LED beads, CW+ WW	CTN CUFT	2.42		
		Lumen:	120LM	No./1pc	1		
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs	2		
		Working time	10-12h	20' GP			
		Charging time	3.5H	40' GP			
		Function	Lght switch,switch tranfer CW or WW	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)	1.68		
		Material	Die-casting aluminum + Glass	G.W/1pc: (KG)	2.53		
		Lampbody color	Brown or Black	N.W/2pcs: (KG)	3.36		
		Size:	H1.1m、 1.75m、 2.15m	G.W/2pcs: (KG)	4.68		
		Remark	package do not included pole				

No.	Picture	Specification		Packing			
		Model No.:	TT-11620		L(cm)	W(cm)	H(cm)
16		Name:	Double Head Curved Six Angle Yard Light 1.39M	1pcs packed size:	48	28	28
		Solar panel:	Monocrystalline 6V/2.5W	2pcs packed size:	51	48	28
		Battery:	18650 Lithium 3.7V/2200mAh	CTN CBM	0.07		
		Light source	18pcs LED beads, CW+ WW	CTN CUFT	2.42		
		Lumen:	120LM	No./1pc	1		
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs	2		
		Working time	10-12h	20' GP			
		Charging time	3.5H	40'GP			
		Function	Light switch, switch tranfer CW or WW	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)	1.57		
		Material	Die-casting aluminum + Glass	G.W/1pc: (KG)	2.28		
		Lampbody color	Brown or Black	N.W/2pcs: (KG)	3.08		
		Size:	H1.39m、 2.2m、 2.5m	G.W/2pcs: (KG)	4.63		
				Remark	package do not included pole		
17		Model No.:	TT-11620		L(cm)	W(cm)	H(cm)
		Name:	Double Head Curved Six Angle Yard Light 2.2M	1pcs packed size:	48	28	28
		Solar panel:	Monocrystalline 6V/2.5W	2pcs packed size:	51	48	28
		Battery:	18650 Lithium 3.7V/2200mAh	CTN CBM	0.07		
		Light source	18pcs LED beads, CW+ WW	CTN CUFT	2.42		
		Lumen:	120LM	No./1pc	1		
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs	2		
		Working time	10-12h	20' GP			
		Charging time	3.5H	40'GP			
		Function	Light switch, switch tranfer CW or WW	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)	1.57		
		Material	Die-casting aluminum + Glass	G.W/1pc: (KG)	2.28		
		Lampbody color	Brown or Black	N.W/2pcs: (KG)	3.08		
		Size:	H1.39m、 2.2m、 2.5m	G.W/2pcs: (KG)	4.63		
		Remark	package do not included pole				
18		Model No.:	TT-11620		L(cm)	W(cm)	H(cm)
		Name:	Double Head Curved Six Angle Yard Light 2.5M	1pcs packed size:	48	28	28
		Solar panel:	Monocrystalline 6V/2.5W	2pcs packed size:	51	48	28
		Battery:	18650 Lithium 3.7V/2200mAh	CTN CBM	0.07		
		Light source	18pcs LED beads, CW+ WW	CTN CUFT	2.42		
		Lumen:	120LM	No./1pc	1		
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs	2		
		Working time	10-12h	20' GP			
		Charging time	3.5H	40'GP			
		Function	Light switch, switch tranfer CW or WW	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)	1.57		
		Material	Die-casting aluminum + Glass	G.W/1pc: (KG)	2.28		
		Lampbody color	Brown or Black	N.W/2pcs: (KG)	3.08		
		Size:	H1.39m、 2.2m、 2.5m	G.W/2pcs: (KG)	4.63		
		Remark	package do not included pole				

No.	Picture	Specification		Packing			
19		Model No.:	TT-320S		L(cm)	W(cm)	H(cm)
		Name:	2nd Kongming Fan Solar Street Light 40W	1pcs packed size:	49	32.5	15.5
		Solar panel:	Polycrystalline 5V/10W	2pcs packed size:			
		Battery:	32700 Phosphate Iron Lithium 3.2V/12000mAh	CTN CBM	0.02		
		Light source	Epistar SMD3030 40PCS, 40W single(6W)	CTN CUFT	0.87		
		Lumen:	500LM	No./1pc	1		
		CCT	CW (6300-6500K) , WW (3000-3200K)	No./2pcs			
		Working time	Light all night	20' GP			
		Charging time	3.5H	40'GP			
		Function	Light switch	40'HQ			
		IP Grade	IP65	N.W/1pc: (KG)	2.74		
		Material	Aluminum + Iron	G.W/1pc: (KG)	3.37		
		Lampbody color	Black	N.W/2pcs: (KG)			
		Size	Lampbody: 45*15cm, diameter: 5.0cm, arm length: 40cm	G.W/2pcs: (KG)			
		Cable	4 coils cable with 1m cable, male cable 60cm, female 40cm				
20		Model No.:	TT-320M		L(cm)	W(cm)	H(cm)
		Name:	2nd Kongming Fan Solar Street Light 60W	1pcs packed size:	73	43.5	22
		Solar panel:	Polycrystalline 5V/20W	2pcs packed size:			
		Battery:	32700 Phosphate Iron Lithium 3.2V/18000mAh	CTN CBM	0.07		
		Light source	Epistar SMD3030 60PCS, 60W single color (8W)	CTN CUFT	2.47		
		Lumen:	650LM	No./1pc	1		
		CCT	CW (6300-6500K) , WW (3000-3200K)	No./2pcs			
		Working time	Light all night	20' GP			
		Charging time	3.5H	40'GP			
		Function	Light switch	40'HQ			
		IP Grade	IP65	N.W/1pc: (KG)	4.93		
		Material	Aluminum + Iron	G.W/1pc: (KG)	6.35		
		Lampbody color	Black	N.W/2pcs: (KG)			
		Size:	Lampbody:56*16cm, diameter:5.0cm, arm length: 60cm	G.W/2pcs: (KG)	11.28		
		Cable	4 coils cable with 1m cable, male cable 60cm, female 40cm				
21		Model No.:	TT-320L		L(cm)	W(cm)	H(cm)
		Name:	2nd Kongming Fan Solar Street Light 90W	1pcs packed size:	77.5	43.5	22
		Solar panel:	Polycrystalline 5V/30W	2pcs packed size:			
		Battery:	32700 Phosphate Iron Lithium 3.2V/30000mAh	CTN CBM	0.07		
		Light source	Epistar SMD3030 90PCS, 90W single color (12W)	CTN CUFT	2.62		
		Lumen:	1000LM	No./1pc	1		
		CCT	CW (6300-6500K) , WW (3000-3200K)	No./2pcs			
		Working time	Light all night	20' GP			
		Charging time	3.5H	40'GP			
		Function	Light switch	40'HQ			
		IP Grade	IP65	N.W/1pc: (KG)	6.56		
		Material	Aluminum + Iron	G.W/1pc: (KG)	8.22		
		Lampbody color	Black	N.W/2pcs: (KG)			
		Size:	Lampbody: 60*18cm, diameter: 6.0cm, arm length: 73cm	G.W/2pcs: (KG)	14.78		
		Cable	4 coils cable with 1m cable, male cable 60cm, female 40cm	Package mode	Eco-friendly pearl cotton blocks and K-K140 cartons		

No.	Picture	Specification		Packing			
		Model No.:			L(cm)	W(cm)	H(cm)
22		Model No.:	TT-320XL				
		Name:	2nd Kongming Fan Solar Street Light 120W	1pcs packed size:	93	43.5	22
		Solar panel:	Polycrystalline 5V/40W	2pcs packed size:			
		Battery:	32700 Phosphate Iron Lithium 3.2V/42000mAh	CTN CBM	0.09		
		Light source	Epistar SMD3030 120PCS, 120W single color (15W)	CTN CUFT	3.14		
		Lumen:	1500LM	No./1pc	1		
		CCT	CW (6300-6500K) , WW (3000-3200K)	No./2pcs			
		Working time	Light all night	20' GP			
		Charging time	3.5H	40'GP			
		Function	Light switch	40'HQ			
		IP Grade	IP65	N.W/1pc: (KG)	8.22		
		Material	Aluminum + Iron	G.W/1pc: (KG)	9.66		
		Lampbody color	Black	N.W/2pcs: (KG)			
		Size:	Lampbody: 76*20cm, diameter: 6.0cm, light arm: 73cm	G.W/2pcs: (KG)			
		Cable	4 coils cable with 1m cable, male cable 60cm, female 40cm				
23		Model No.:	TT-331				
		Name:	Gold Beans Solar Street Lamp10W				
		Solar panel:	Polycrystalline 5V/10W				
		Battery:	32700 Phosphate Iron Lithion 3.2V/12000mAh				
		Light source	Crystals SMD3030 50PCS, 30Wsingle color(6W)				
		Lumen:	500LM				
		CCT	CW (6300-6500K) , WW (3000-3200K)				
		Working time	8+1h at dawn (work for 8h when the night come, work again for 1h at dawn)				
		Charging time	3.5h				
		Function	Light control				
		IP Grade	IP65				
		Material	Aluminum + Iron				
		Lampbody color	Grey				
		Size:	Lampbody: 50*19.7cm, diameter: 5.0cm				
		Cable	4 coils cable with 1m cable, male cable 60cm, female 40cm				
24		Model No.:	TT-331				
		Name:	Golden Bean Solar Street Light 20W				
		Solar panel:	Polycrystalline 5V/20W				
		Battery:	32700 Phosphate Iron Lithion 3.2V/18000mAh				
		Light source	Crystals SMD3030 50PCS, 40W single color(8W)				
		Lumen:	650LM				
		CCT	CW (6300-6500K) , WW (3000-3200K)				
		Working time	8+1h at dawn (work for 8h when the night come, work again for 1h at dawn)				
		Charging time	3.5h				
		Function	Light control				
		IP Grade	IP65				
		Material	Aluminum + Iron				
		Lampbody color	Grey				
		Size:	Lampbody 50*19.7cm, Diameter 5.0cm				
		Cable	4 coils cable with 1m cable, male cable 60cm, female 40cm				

No.	Picture	Specification		Packing	
25		Model No.:	TT-331		
		Name:	Golden Bean Solar Street Light 30W		
		Solar panel:	Polycrystalline 5V/30W		
		Battery:	32700 Phosphate Iron Lithion 3.2V/30000mAh		
		Light source	Crystals SMD3030 100PCS, 60W single color (12W)		
		Lumen:	1000LM		
		CCT	CW (6300-6500K) , WW (3000-3200K)		
		Working time	8+1h at dawn (work for 8h when the night come, work again for 1h at dawn)		
		Charging time	3.5h		
		Function	Light control		
		IP Grade	IP65		
		Material	Aluminum + Iron		
		Lampbody color	Grey		
		Size:	Lampbody: 60*25cm, diameter: 5.0cm		
		Cable	4 coils cable with 1m cable, male cable 60cm, female 40cm		
26		Model No.:	TT-331		
		Name:	Golden Bean Solar Street Light 40W		
		Solar panel:	Polycrystalline 5V/40W		
		Battery:	32700 Phosphate Iron Lithion 3.2V/42000mAh		
		Light source	Crystals SMD3030 100PCS, 100W single color (15W)		
		Lumen:	1500LM		
		CCT	CW (6300-6500K) , WW (3000-3200K)		
		Working time	8+1h at dawn (work for 8h when the night come, work again for 1h at dawn)		
		Charging time	3.5h		
		Function	Light control		
		IP Grade	IP65		
		Material	Aluminum + Iron		
		Lampbody color	Grey		
		Size:	Lampbody: 60*25cm, Diameter: 5.0		
		Cable	4 coils cable with 1m cable, male cable 60cm, female 40cm		
27		Model No.:			
		Name:	Solar Yard Light 30W		
		Solar panel:	Polycrystalline 5V/ 32W		
		Battery:	Phosphate iron Lithium 3.7V/ 25000mAh		
		Light source	40pcs light beads smd30*30		
		CCT	Cold White		
		Working time	Lighting time 8 +1 H		
		Function	Constant bright		
		Lampbody color	Grey		
		Cable	Die-casting aluminum, iron, acrylic, lighting area: 35 square meters		
28		Model No.:			
		Name:	Solar Yard Light 30W		
		Solar panel:	Polycrystalline 5V/ 50W		
		Battery:	Phosphate iron Lithium 3.7V/ 40000mAh		
		Light source	90pcs light beads smd30*30		
		CCT	Cold White		
		Working time	Lighting time 8+1 H		
		Function	Constant bright		
		Cable	Die-casting aluminum, iron, acrylic, lighting area: 60 square meters		