














LED Solar Lawn Light




No.	Picture	Technical data		Packing			
1		Model No.:	SLTC-11717		L(cm)	W(cm)	H(cm)
		Name:	Flat Head 7 inches Solar Field Cutting Lawn Lamp	1pcs packed size:	41	29	21.5
		Solar panel:	Polycrystalline 5.5V/1W	2pcs packed size:	41	29	21.5
		Battery:	18650 lithium 3.7V/1300mAh	CTN CBM	0.03		
		Light source	LED lamp bead 1PCS, single color 1W	CTN CUFT	0.90		
		Lumen:	80LM	No./1pc	1		
		CCT	CW (6000-6500K) , WW (3000-3500K)	No./2pcs	2		
		Working time	7-10H	20' GP			
		Charging time	3.5H	40'GP			
		Function	Light control	40'HQ	1		
		IP Grade	IP44	N.W/1pc: (KG)	0.95		
		Material	Die-casting aluminum + Glass + Stainless steel	G.W/1pc: (KG)	1.47		
		Lampbody color	Black	N.W/2pcs: (KG)	1.90		
		Size:	15*15*60 (spike length: 16cm)	G.W/2pcs: (KG)	2.44		
2		Model No.:	SLTC-2023		L(cm)	W(cm)	H(cm)
		Name:	Mini Q Solar Spike Lawn Light	1pcs packed size:	15.5	15.5	59
		Solar panel:	Polycrystalline 5V/2W	2pcs packed size:	34	17	62
		Battery:	18650 lithium 3.7V/2200mAh	CTN CBM	0.04		
		Light source	SMD2835 9PCS, single color 1.5W	CTN CUFT	1.27		
		Lumen:	120LM	No./1pc	1		
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs	2		
		Working time	10-12h	20' GP			
		Charging time	3.5H	40'GP			
		Function	Light switch, touched switch	40'HQ	1		
		IP Grade	IP44	N.W/1pc: (KG)	0.74		
		Material	Die-casting aluminum + Acrylic + Aluminum pipe	G.W/1pc: (KG)	1.05		
		Lampbody color	Black	N.W/2pcs: (KG)	1.48		
		Size:	15*15*57 (spike height:16cm)	G.W/2pcs: (KG)	2.66		
		Package mode	K=K140纸箱				
3		Model No.:	SLTC-230		L(cm)	W(cm)	H(cm)
		Name:	Solar Lawn Light 60cm	1pcs packed size:			
		Solar panel:	Polycrystalline 5.5V/1W	2pcs packed size:	41	35	21.5
		Battery:	18650lithium 3.7V/1300mAh	CTN CBM	0.03		
		Light source	1PCS, single color1W	CTN CUFT	1.09		
		Lumen:	80LM	No./1pc	1		
		CCT	CW (6000-6500K) , WW (3000-3500K)	No./2pcs	2		
		Working time	7-10H	20' GP			
		Charging time	3.5H	40'GP			
		Function	Light control	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)	1.14		
		Material	Die-casting aluminum + Glass + Stainless steel	G.W/1pc: (KG)	1.81		
		Lampbody color	Black	N.W/2pcs: (KG)	2.28		
		Size:	15*15*58 (the length of spike: 16 cm)	G.W/2pcs: (KG)	2.93		




No.	Picture	Technical data		Packing			
4		Model No.:	SLTC-234		L(cm)	W(cm)	H(cm)
		Name:	Cusp 8ft Solar Spike Lawn Light	1pcs packed size:	41	25	27.5
		Solar panel:	Polycrystalline 6V/1.8W	2pcs packed size:	48	35	27.5
		Battery:	18650 Lithium 3.7V/1300mAh	CTN CBM	0.05		
		Light source	SMD2835 18PCS, CW & WW 1W	CTN CUFT	1.63		
		Lumen:	80LM	No./1pc	1		
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs	2		
		Working time	10-12H	20' GP			
		Charging time	3.5H	40'GP			
		Function	Light switch, switch transfer CW or WW	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)	1.42		
		Material	Glass + Die-casting aluminum lampbody	G.W/1pc: (KG)	2.32		
		Lampbody color	Black	N.W/2pcs: (KG)	2.84		
		Size:	21*21*71 (the length of spike: 16cm)	G.W/2pcs: (KG)	3.75		
5		Model No.:	SLTC-232		L(cm)	W(cm)	H(cm)
		Name:	Lotus Solar Lawn Spike Light	1pcs packed size:			
		Solar panel:	Polycrystalline 6V/1.2W	2pcs packed size:	46	39	24.5
		Battery:	18650 lithium 3.7V/1500mAh	CTN CBM	0.04		
		Light source	Epistar F10 clear LED beads 1PCS, CW or WW 1W	CTN CUFT	1.55		
		Lumen:	80LM	No./1pc	1		
		CCT	CW (6000-6500K) , WW (3000-3500K)	No./2pcs	2		
		Working time	7-11H	20' GP			
		Charging time	3.5H	40'GP			
		Function	Lght switch	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)			
		Material	Die-casting aluminum, Glass + Iron pipe pole	G.W/1pc: (KG)			
		Lampbody color	Black	N.W/2pcs: (KG)			
		Size:	19*19*60 (the length of spike: 16cm)	G.W/2pcs: (KG)			
6		Model No.:	SLTC-233		L(cm)	W(cm)	H(cm)
		Name:	All Flower Solar Spike Lawn Light	1pcs packed size:			
		Solar panel:	Polycrystalline 6V/1.2W	2pcs packed size:	46	39	24.5
		Battery:	18650 Lithium 3.7V/1500mAh	CTN CBM	0.04		
		Light source	Epistar F10 clear LED beads 1PCS, CW or WW 1W	CTN CUFT	1.55		
		Lumen:	80LM	No./1pc	1		
		CCT	CW (6000-6500K) , WW (3000-3500K)	No./2pcs	2		
		Working time	7-10H	20' GP			
		Charging time	3.5H	40'GP			
		Function	Light switch	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)			
		Material	Die-casting + Glass + Iron pipe pole	G.W/1pc: (KG)			
		Lampbody color	Black	N.W/2pcs: (KG)			
		Size:	19*19*60 (the length of spike: 16cm)	G.W/2pcs: (KG)			


No.	Picture	Technical data		Packing			
7		Model No.:	SLTC-227		L(cm)	W(cm)	H(cm)
		Name:	Solar Lawn Light 80CM	1pcs packed size:	51	41	30.5
		Solar panel:	Polycrystalline 5.5V/2W	2pcs packed size:	77	51	30.5
		Battery:	18650lithium 3.7V/2200mAh	CTN CBM	0.12		
		Light source	SMD2835 26PCS, double color 1.5W	CTN CUFT	4.23		
		Lumen:	120LM	No./1pc	1		
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs	2		
		Working time	10-12H	20' GP			
		Charging time	3.5H	40'GP			
		Function	Light switch, switch transfer CW or WW	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)	2.48		
		Material	Die-casting + pickling glass	G.W/1pc: (KG)	3.68		
		Lampbody color	Golden red	N.W/2pcs: (KG)	4.96		
		Size:	25*25*92 (the hole of screw:14cm, the diameter of base:16.1cm)	G.W/2pcs: (KG)	6.93		
8		Model No.:	SLTC-3608		L(cm)	W(cm)	H(cm)
		Name:	Solar Lawn Light 60cm	1pcs packed size:	26	26	43
		Solar panel:	Polycrystalline 5.5V/2W	2pcs packed size:	49	26	43
		Battery:	18650 lithium 3.7V/2200mAh	CTN CBM	0.05		
		Light source	SMD2835 26PCS, double color 1.5W	CTN CUFT	1.93		
		Lumen:	120LM	No./1pc	1		
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs	2		
		Working time	10-12H	20' GP			
		Charging time	3.5H	40'GP			
		Function	Light switch, switch transfer CW or WW	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)	1.36		
		Material	Die-casting aluminum + Acrylic	G.W/1pc: (KG)	2.12		
		Lampbody color	Bronze + Black(custom)	N.W/2pcs: (KG)	2.72		
		Size:	20*20*56 (the hole of screw:13.5cm, the diameter of base:15cm)	G.W/2pcs: (KG)	3.97		
Other :	Custom height 80cm						
9		Model No.:	SLTC-3607		L(cm)	W(cm)	H(cm)
		Name:	Solar Lawn Light 60cm	1pcs packed size:	26	26	43
		Solar panel:	Polycrystalline 5.5V/2W	2pcs packed size:	49	26	43
		Battery:	18650lithium 3.7V/2200mAh	CTN CBM	0.05		
		Light source	SMD2835 26PCS, double color 1.5W	CTN CUFT	1.93		
		Lumen:	120LM	No./1pc	1		
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs	2		
		Working time	10-12H	20' GP			
		Charging time	3.5H	40'GP			
		Function	Light Switch, switch transfer CW or WW	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)	1.36		
		Material	Die-casting aluminum + Acrylic	G.W/1pc: (KG)	2.12		
		Lampbody color	Bronze + black(custom)	N.W/2pcs: (KG)	2.72		
		Size:	20*20*56 (the holeof screw:13.5cm, the diameter of base:15cm)	G.W/2pcs: (KG)	3.97		
Other :	Custom height 80cm						




No.	Picture	Technical data		Packing			
10		Model No.:	SLTC-3622、SLTC-3623、SLTC3624		L(cm)	W(cm)	H(cm)
		Name:	Solar Lawn Light 60CM	1pcs packed size:	26	26	43
		Solar panel:	Polycrystalline 5.5V/2W	2pcs packed size:	49	26	43
		Battery:	18650lithium 3.7V/2200mAh	CTN CBM	0.05		
		Light source	SMD2835 26PCS, double color 1.5W	CTN CUFT	1.93		
		Lumen:	120LM	No./1pc	1		
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs	2		
		Working time	10-12H	20' GP			
		Charging time	3.5H	40'GP			
		Function	Light switch, switch transfer CW or WW	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)	1.36		
		Material	Die-casting aluminum + Acrylic	G.W/1pc: (KG)	2.12		
		Lampbody color	Bronze + Black	N.W/2pcs: (KG)	2.72		
		Size:	20*20*60 (the hole of screw:13.5cm, the diameter of base:15cm)	G.W/2pcs: (KG)	3.97		
		11		Model No.:	SLTC-3622、SLTC-3623、SLTC3624		L(cm)
Name:	Solar Lawn Light 80CM			1pcs packed size:	26	26	43
Solar panel:	Polycrystalline 5.5V/2W			2pcs packed size:	49	26	43
Battery:	18650lithium 3.7V/2200mAh			CTN CBM	0.05		
Light source	SMD2835 26PCS, double color 1.5W			CTN CUFT	1.93		
Lumen:	120LM			No./1pc	1		
CCT	CW (6500-7000K) , WW (2800-3100K)			No./2pcs	2		
Working time	10-12H			20' GP			
Charging time	3.5H			40'GP			
Function	Lght switch, switch transfer CW or WW			40'HQ			
IP Grade	IP44			N.W/1pc: (KG)	1.36		
Material	Die-casting aluminum + Acrylic			G.W/1pc: (KG)	2.12		
Lampbody color	Bronze + Black			N.W/2pcs: (KG)	2.72		
Size:	20*20*80 (the hole of screw:13.5cm, the diameter of base:15cm)			G.W/2pcs: (KG)	3.97		
				Package mode	Eco-friendly pearl cotton blocks and K-K140 paper outer box		
12		Model No.:	SLTB-G087		L(cm)	W(cm)	H(cm)
		Name:	Mushroom Solar Garden Bollard Light 28cm	1pcs packed size:	28.5	28.5	32
		Solar panel:	polycrystalline 5V/3.5W	2pcs packed size:	55	28.5	32
		Battery:	18650lithium 3.7V/4000mAh	CTN CBM	0.05		
		Light source	SMD2835 20PCS, single color 3W	CTN CUFT	1.77		
		Lumen:	250LM	No./1pc	1		
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs	2		
		Working time	9-11H	20' GP			
		Charging time	3.5H	40'GP			
		Function	Lght control	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)	1.48		
		Material	Die-casting + PC lampshade.	G.W/1pc: (KG)	2.08		
		Lampbody color	Black	N.W/2pcs: (KG)	2.96		
		Size:	23.5*28 (the hole of screw:12cm, the diameter of base:16cm)	G.W/2pcs: (KG)	3.95		




No.	Picture	Technical data		Packing			
13		Model No.:	SLTB-G088		L(cm)	W(cm)	H(cm)
		Name:	Solar Bollard Light for Garden Lawn 28cm	1pcs packed size:	28.5	28.5	32
		Solar panel:	Polycrystalline 5V/3.5W	2pcs packed size:	55	28.5	32
		Battery:	18650lithium 3.7V/4000mAh	CTN CBM	0.05		
		Light source	SMD2835 20PCS, single color 3W	CTN CUFT	1.77		
		Lumen:	250LM	No./1pc	1		
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs	2		
		Working time	9-11H	20' GP			
		Charging time	3.5H	40'GP			
		Function	Light control	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)	1.25		
		Material	Die-casting + PC lampshade.	G.W/1pc: (KG)	1.91		
		Lampbody color	Black	N.W/2pcs: (KG)	2.5		
		Size:	23.5*28 (the hole of screw:9.5cm, the diameter of base:13.5cm)	G.W/2pcs: (KG)	3.51		
					Four packs of 50 x 50 x 31.5, gross weight 7KG		
14		Model No.:	SLTB-G088		L(cm)	W(cm)	H(cm)
		Name:	Solar Bollard Light for Garden Lawn 60cm	1pcs packed size:	28.5	28.5	64
		Solar panel:	Polycrystalline 5V/3.5W	2pcs packed size:	68	43	28.5
		Battery:	18650lithium 3.7V/4000mAh	CTN CBM	0.08		
		Light source	SMD2835 20PCS, single color 3W	CTN CUFT	2.94		
		Lumen:	250LM	No./1pc	1		
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs	2		
		Working time	9-11H	20' GP			
		Charging time	3.5H	40'GP			
		Function	Light control	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)	1.87		
		Material	Die-casting + PC lampshade.	G.W/1pc: (KG)	2.75		
		Lampbody color	Black	N.W/2pcs: (KG)	3.74		
		Size:	23.5*60 (the hole of screw:9.5cm,the diameter of base:13.5cm)	G.W/2pcs: (KG)	5.15		
				Package mode	Eco-friendly pearl cotton blocks and K-K140 paper outer box		
			Four packs 72 x 68 x 28.5, gross weight 9.7KG				
15		Model No.:	SLTB-G088		L(cm)	W(cm)	H(cm)
		Name:	Solar Bollard Light for Garden Lawn 80cm	1pcs packed size:	28.5	28.5	84
		Solar panel:	Polycrystalline 5V/3.5W	2pcs packed size:	88	43	28.5
		Battery:	18650lithium 3.7V/4000mAh	CTN CBM	0.11		
		Light source	SMD2835 20PCS, single color 3W	CTN CUFT	3.81		
		Lumen:	250LM	No./1pc	1		
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs	2		
		Working time	9-11H	20' GP			
		Charging time	3.5H	40'GP			
		Function	Light control	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)	2.25		
		Material	Die-casting + PC lampshade.	G.W/1pc: (KG)	3.24		
		Lampbody color	Black	N.W/2pcs: (KG)	4.5		
		Size:	23.5*80 (the hole of screw:9.5cm, the diameter of base:13.5cm)	G.W/2pcs: (KG)	6.11		
				Package mode	Embedded foam packaging , K - K140 cartons		
		Remarks	Four packs 88 x 72 x 28.5, gross weight 12.28				




No.	Picture	Technical data		Packing			
16		Model No.:	SLTB-G088		L(cm)	W(cm)	H(cm)
		Name:	Solar Bollard Light for Garden Lawn 100cm	1pcs packed size:	28.5	28.5	104
		Solar panel:	Polycrystalline 5V/3.5W	2pcs packed size:	108	43	28.5
		Battery:	18650lithium 3.7V/4000mAh	CTN CBM	0.13		
		Light source	SMD2835 20PCS, single color 3W	CTN CUFT	4.67		
		Lumen:	250LM	No./1pc	1		
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs	2		
		Working time	9-11H	20' GP			
		Charging time	3.5H	40'GP			
		Function	Light control	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)	2.65		
		Material	Die-casting + PC lampshade.	G.W/1pc: (KG)	3.92		
		Lampbody color	Black	N.W/2pcs: (KG)	5.76		
		Size:	23.5*100 (the hole of screw:9.5cm, the diameter of base:13.5cm)	G.W/2pcs: (KG)	7.52		
				Package mode	Embedded foam packaging, K - K140 cartons		
				Remarks	Four packs 108 x 72 x 28.5, gross weight 14.91		
17		Model No.:	SLTC-3603S		L(cm)	W(cm)	H(cm)
		Name:	Solar Lawn Light 60cm	1pcs packed size:	64.5	25.5	26
		Solar panel:	Polycrystalline 5.5V/2W	2pcs packed size:			
		Battery:	18650lithium 3.7V/2200mAh	CTN CBM	0.04		
		Light source	SMD2835 26PCS, double color 1.5W	CTN CUFT	1.51		
		Lumen:	120LM	No./1pc	1		
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs			
		Working time	10-12H	20' GP			
		Charging time	3.5H	40'GP			
		Function	Light switch, switch transfer CW or WW	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)	2.03		
		Material	Die-casting + Pickling glass	G.W/1pc: (KG)	2.88		
		Lampbody color	Bronze + Black (custom)	N.W/2pcs: (KG)			
		Size:	20*20*60 (the hole of screw:13cm, the diameter of base:15.5cm)	G.W/2pcs: (KG)			
		Package mode	Embedded foam packaging, K - K140 cartons				
18		Model No.:	SLTC-3603S				
		Name:	Solar Lawn Light 80cm				
		Solar panel:	Polycrystalline 5.5V/2W				
		Battery:	18650lithium 3.7V/2200mAh				
		Light source	SMD2835 26PCS, double color 1.5W				
		Lumen:	120LM				
		CCT	CW (6500-7000K) , WW (2800-3100K)				
		Working time	10-12H				
		Charging time	3.5H				
		Function	Light switch, switch transfer CW or WW				
		IP Grade	IP44				
		Material	Die-casting + Pickling glass				
		Lampbody color	Bronze + Black(custom)				
		Size:	20*20*60 (the hole of screw : 13cm, the diameter of base:15.5cm)				




No.	Picture	Technical data		Packing			
19		Model No.:	SLTC-3603M		L(cm)	W(cm)	H(cm)
		Name:	Solar Lawn Light 60cm	1pcs packed size:	66.5	31	31.5
		Solar panel:	Polycrystalline 5.5V/3W	2pcs packed size:			
		Battery:	18650lithium 3.7V/2500mAh	CTN CBM	0.06		
		Light source	SMD2835 26PCS, double color 2W	CTN CUFT	2.29		
		Lumen:	160LM	No./1pc	1		
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs			
		Working time	12-14H	20' GP			
		Charging time	3.5H	40'GP			
		Function	Light switch, switch transfer CW or WW	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)	3.17		
		Material	Die-casting + Pickling glass	G.W/1pc: (KG)	4.36		
		Lampbody color	Golden red / Bronze / BBack	N.W/2pcs: (KG)			
		Size:	25*25*60 (the hole of scrow:16cm, the diameter of base:19.5cm)	G.W/2pcs: (KG)			
				Package mode	Embedded foam packaging , K - K140 cartons		
20		Model No.:	SLTC-3603M		L(cm)	W(cm)	H(cm)
		Name:	Solar Lawn Light 80cm	1pcs packed size:	86.5	31	31.5
		Solar panel:	Polycrystalline 5.5V/3W	2pcs packed size:			
		Battery:	18650lithium 3.7V/2500mAh	CTN CBM	0.08		
		Light source	SMD2835 26PCS, double color2W	CTN CUFT	2.98		
		Lumen:	160LM	No./1pc	1		
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs			
		Working time	12-14H	20' GP			
		Charging time	3.5H	40'GP			
		Function	Light switch, switch transfer CW or WW	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)	3.64		
		Material	Die-casting + Pickling glass	G.W/1pc: (KG)	4.97		
		Lampbody color	Golden red / Bronze / Back	N.W/2pcs: (KG)			
		Size:	25*25*80 (the hole of screw:16cm, the diameter of base:19.5cm)	G.W/2pcs: (KG)			
				Package mode	Embedded foam packaging, K - K140 cartons		
21		Model No.:	SLTC-11719		L(cm)	W(cm)	H(cm)
		Name:	Solar Lawn Light 80cm	1pcs packed size:	51	46	40.5
		Solar panel:	Polycrystalline 5.5V/3W	2pcs packed size:	51	30	40.5
		Battery:	18650lithium 3.7V/2500mAh	CTN CBM	0.10		
		Light source	SMD2835 26PCS, double color 2W	CTN CUFT	3.36		
		Lumen:	160LM	No./1pc	1		
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs	2		
		Working time	12-14H	20' GP			
		Charging time	3.5H	40'GP			
		Function	Light switch, switch transfer CW or WW	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)	2.02		
		Material	Die-casting +Pickling glass	G.W/1pc: (KG)	3.18		
		Lampbody color	Coffee gold	N.W/2pcs: (KG)	4.04		
		Size:	22*22*80 (the hole of screw:14cm, the diameter of base:16.1cm)	G.W/2pcs: (KG)	5.93		
				Package mode	Embedded foam packaging, K - K140 cartons		




No.	Picture	Technical data		Packing			
22		Model No.:	SLTC-G050		L(cm)	W(cm)	H(cm)
		Name:	Solar Lawn Light 60cm	1pcs packed size:	42.5	36	27.5
		Solar panel:	Polycrystalline 5V/2.5W	2pcs packed size:	42.5	36	27.5
		Battery:	18650 lithium 3.7V/3600mAh	CTN CBM	0.04		
		Light source	SMD2835 20PCS, Single color 2W	CTN CUFT	1.49		
		Lumen:	160LM	No./1pc	1		
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs	2		
		Working time	10-12H	20' GP			
		Charging time	3.5H	40'GP			
		Function	Light switch, switch transfer CW or WW	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)	1.21		
		Material	Die-casting aluminum + Acrylic	G.W/1pc: (KG)	2.03		
		Lampbody color	Coffee gold	N.W/2pcs: (KG)	2.42		
		Size:	21*21*60 (the hole of screw:8cm, the diameter of base:11.8cm)	G.W/2pcs: (KG)	3.31		
		Other :		Package mode	Embedded foam packaging, K - K140 cartons		
23		Model No.:	SLTC-G050		L(cm)	W(cm)	H(cm)
		Name:	Solar Lawn Light 80cm	1pcs packed size:	61.5	36	27.5
		Solar panel:	Polycrystalline 5V/2.5W	2pcs packed size:	61.5	36	27.5
		Battery:	18650lithium 3.7V/3600mAh	CTN CBM	0.06		
		Light source	SMD2835 20PCS, single color 2W	CTN CUFT	2.15		
		Lumen:	160LM	No./1pc	1		
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs	2		
		Working time	10-12H	20' GP			
		Charging time	3.5H	40'GP			
		Function	Light switch, switch transfer CW or WW	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)	1.42		
		Material	Die-casting aluminum + Acrylic	G.W/1pc: (KG)	2.45		
		Lampbody color	Coffee gold	N.W/2pcs: (KG)	2.84		
		Size:	21*21*60 (the hole of screw:8cm, the diameter of base:11.8cm)	G.W/2pcs: (KG)	3.87		
		Other :		Package mode	Embedded foam packaging, K - K140 cartons		
24		Model No.:	SLTC-228		L(cm)	W(cm)	H(cm)
		Name:	Six Angle Spike Lawn Light	1pcs packed size:	30.5	17.5	9.5
		Solar panel:	Polycrystalline 6V/1.5W	2pcs packed size:	62	55	40.5
		Battery:	18650 lithium battery 3.7V/2200mAh	CTN CBM	0.01		
		Light source	Epistar SMD2835 108PCS, CW 1W	CTN CUFT	0.18		
		Lumen:	80LM	No./1pc	2		
		CCT	CW (6000-6500K)	No./2pcs	24		
		Working time	8-11H	20' GP			
		Charging time	3.5H	40'GP			
		Function	Light switch	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)	0.92KG(2个)		
		Material	ABS	G.W/1pc: (KG)	1.16KG (2个)		
		Lampbody color	Black	N.W/2pcs: (KG)	11.04KG (24个)		
		Size:	617*171.5*147.5mm	G.W/2pcs: (KG)	15.51KG (24个)		
				Package mode	Inside the cow card paper box and K-K outer box		




No.	Picture	Technical data		Packing			
25		Model No.:	SLTC-11824		L(cm)	W(cm)	H(cm)
		Name:	Solar Bollard Lawn Light 60CM	1pcs packed size:	62	21	21
		Solar panel:	Monocrystalline silicone 5V/4W	2pcs packed size:			
		Battery:	18650 lithium 3.7V/4400mAh	CTN CBM	0.03		
		Light source	Dehao SMD2835 35PCS, single color 3W	CTN CUFT	0.97		
		Lumen:	250LM	No./1pc	1		
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs			
		Working time	9-11H	20' GP			
		Charging time	3.5H	40'GP			
		Function	Light control	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)	2.58		
		Material	Die-casting aluminum + PC lampshade	G.W/1pc: (KG)	3.34		
		Lampbody color	Black	N.W/2pcs: (KG)			
				G.W/2pcs: (KG)			
26		Model No.:	SLTC-11824		L(cm)	W(cm)	H(cm)
		Name:	Solar Bollard Lawn light 80CM	1pcs packed size:	82	21	21
		Solar panel:	Monocrystalline silicone 5V/4W	2pcs packed size:			
		Battery:	18650lithium 3.7V/4400mAh	CTN CBM	0.04		
		Light source	SMD2835 35PCS, single color 3W	CTN CUFT	1.28		
		Lumen:	250LM	No./1pc	1		
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs			
		Working time	9-11H	20' GP			
		Charging time	3.5H	40'GP			
		Function	Light control	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)	3.11		
		Material	Die-casting + PC lampshade.	G.W/1pc: (KG)	3.93		
		Lampbody color	Black	N.W/2pcs: (KG)			
				G.W/2pcs: (KG)			
27		Model No.:	SLTC-11824		L(cm)	W(cm)	H(cm)
		Name:	Solar Bollard Lawn Light 100CM	1pcs packed size:	82	21	21
		Solar panel:	Monocrystalline silicone 5V/4W	2pcs packed size:			
		Battery:	18650lithium 3.7V/4400mAh	CTN CBM	0.04		
		Light source	SMD2835 35PCS, single color 3W	CTN CUFT	1.28		
		Lumen:	250LM	No./1pc	1		
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs			
		Working time	9-11H	20' GP			
		Charging time	3.5H	40'GP			
		Function	Light control	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)	3.11		
		Material	Die-casting + PC lampshade.	G.W/1pc: (KG)	3.93		
		Lampbody color	Black	N.W/2pcs: (KG)			
				G.W/2pcs: (KG)			

No.	Picture	Technical data		Packing			
		Model No.:		L(cm)	W(cm)	H(cm)	
28		Model No.:	SLTC-11822				
		Name:	Rectangle Lawn Light new model	1pcs packed size:	24	24	30.5
		Solar panel:	Monocrystalline silicone 5V/3W	2pcs packed size:			
		Battery:	18650 lifepo4 3.7V/4000mAh	CTN CBM			
		Light source	SMD2835 99PCS, single color 2W	CTN CUFT			
		Lumen:	160LM	No./1pc			
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs			
		Working time	9-12H	20' GP			
		Charging time	6H	40'GP			
		Function	Optical switch	40'HQ			
		IP Grade	IP55	N.W/1pc: (KG)			
		Material	Die-casting aluminum + PC lampshade	G.W/1pc: (KG)			
		Lampbody color	Black	N.W/2pcs: (KG)			
		Size:		G.W/2pcs: (KG)			
29		Model No.:	SLDC-11822				
		Name:	Rectangle Lawn Light new model				
		Solar panel:	Monocrystalline silicone 5V/3W				
		Battery:	18650 lifepo4 3.7V/4000mAh				
		Light source	SMD2835 99PCS, single color 2W				
		Lumen:	160LM				
		CCT	CW (6500-7000K) , WW (2800-3100K)				
		Working time	9-12H				
		Charging time	6H				
		Function	Optical switch				
		IP Grade	IP55				
		Material	Die-casting aluminum + PC lampshade				
		Lampbody color	Black				
		Size:	20*95				
Other :	20*87CM (base 15CM)						
30		Model No.:	SLTT-11822				
		Name:	Rectangle Lawn Light new model	1pcs packed size:	24	24	30.5
		Solar panel:	Monocrystalline silicone 5V/3W	2pcs packed size:			
		Battery:	18650 lifepo4 3.7V/4000mAh	CTN CBM			
		Light source	SMD2835 99PCS, single color 2W	CTN CUFT			
		Lumen:	160LM	No./1pc			
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs			
		Working time	9-12H	20' GP			
		Charging time	6H	40'GP			
		Function	Optical switch	40'HQ			
		IP Grade	IP55	N.W/1pc: (KG)			
		Material	Die-casting aluminum + PC lampshade	G.W/1pc: (KG)			
		Lampbody color	Black	N.W/2pcs: (KG)			
		Size:	20*95	G.W/2pcs: (KG)			
Other :	20*157CM (base size; 22CM)				package size exclude pole		

No.	Picture	Technical data		Packing	
31		Model No.:	SLTC-11823		
		Name:	Solar Lawn Light 60CM		
		Solar panel:	monocrystalline silicone 5V/5W		
		Battery:	18650 lithium 3.7V/6000mAh		
		Light source	SMD2835 40PCS, double color 3W		
		Lumen:	250LM		
		CCT	CW (6500-7000K) , WW (2800-3100K)		
		Working time	10-12H		
		Charging time	3.5H		
		Function	Light control		
		IP Grade	IP65		
		Material	Die-casting + PC lampshade.		
		Lampbody color	Black		
		32		Model No.:	SLTC-11823
Name:	Solar Lawn Light 80CM				
Solar panel:	Polycrystalline 5V/5W				
Battery:	18650 lithium 3.7V/6000mAh				
Light source	SMD2835 40PCS, double color 3W				
Lumen:	250LM				
CCT	CW (6500-7000K) , WW (2800-3100K)				
Working time	10-12H				
Charging time	3.5H				
Function	Light control				
IP Grade	IP65				
Material	Die-casting + PC lampshade.				
Lampbody color	Black				
33				Model No.:	SLTC-11823
		Name:	Solar Lawn Light 100CM		
		Solar panel:	Monocrystalline silicone 5V/5W		
		Battery:	18650 lithium 3.7V/6000mAh		
		Light source	SMD2835 40PCS, double color 3W		
		Lumen:	250LM		
		CCT	CW (6500-7000K) , WW (2800-3100K)		
		Working time	10-12H		
		Charging time	3.5H		
		Function	Light control		
		IP Grade	IP65		
		Material	Die-casting + PC lampshade.		
		Lampbody color	Black		

No.	Picture	Technical data		Packing			
34		Model No.:	SLTC-231		L(cm)	W(cm)	H(cm)
		Name:	Mini UFO Solar Lawn Light 60CM	1pcs packed size:	28.5	28.5	64
		Solar panel:	Polycrystalline 5V/3.5W	2pcs packed size:	68	43	28.5
		Battery:	18650 lithium 3.7V/4400mAh	CTN CBM	0.08		
		Light source	SMD2835 52PCS, single color 3W	CTN CUFT	2.94		
		Lumen:	250LM	No./1pc	1		
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs	2		
		Working time	10-12 H	20' GP			
		Charging time	3.5H	40'GP			
		Function	Light switch	40'HQ			
		IP Grade	IP65	N.W/1pc: (KG)	1.55		
		Material	Die-casting aluminum + PC lampshade	G.W/1pc: (KG)	2.43		
		Lampbody color	Black	N.W/2pcs: (KG)	3.11		
				G.W/2pcs: (KG)	4.52		
				Package mode			
				Remark	4pcs package 72*68*28.5, G.W:8.5KG		
35		Model No.:	SLTC-231		L(cm)	W(cm)	H(cm)
		Name:	Mini UFO Solar Lawn Light 80CM	1pcs packed size:	28.5	28.5	84
		Solar panel:	polycrystalline 5V/3.5W	2pcs packed size:	88	43	28.5
		Battery:	18650 lithium 3.7V/4400mAh	CTN CBM	0.11		
		Light source	SMD2835 52PCS, single color 3W	CTN CUFT	3.81		
		Lumen:	250LM	No./1pc	1		
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs	2		
		Working time	10-12 H	20' GP			
		Charging time	3.5H	40'GP			
		Function	Light switch	40'HQ			
		IP Grade	IP65	N.W/1pc: (KG)	1.88		
		Material	Die-casting aluminum + PC lampshade	G.W/1pc: (KG)	2.87		
		Lampbody color	Black	N.W/2pcs: (KG)	3.76		
				G.W/2pcs: (KG)	5.37		
				Package mode			
				Remark	4pcs package: 88*72*28.5, G.W:11KG		
36		Model No.:	SLTC-231		L(cm)	W(cm)	H(cm)
		Name:	Mini UFO Solar Lawn Light 80CM	1pcs packed size:	28.5	28.5	104
		Solar panel:	Polycrystalline 5V/3.5W	2pcs packed size:	108	43	28.5
		Battery:	18650 lithium 3.7V/4400mAh	CTN CBM	0.13		
		Light source	SMD2835 52PCS, single color 3W	CTN CUFT	4.67		
		Lumen:	250LM	No./1pc	1		
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs	2		
		Working time	10-12H	20' GP			
		Charging time	3.5H	40'GP			
		Function	Light switch	40'HQ			
		IP Grade	IP65	N.W/1pc: (KG)	2.09		
		Material	Die-casting aluminum + PC lampshade	G.W/1pc: (KG)	3.36		
		Lampbody color	Black	N.W/2pcs: (KG)	4.18		
				G.W/2pcs: (KG)	5.94		
				Remark	4pcs package:108*72*28.5, G.W: 12.67		

No.	Picture	Technical data		Packing			
37		Model No.:	SLTC-226A		L(cm)	W(cm)	H(cm)
		Name:	Solar Mosquito Killer Light	1pcs packed size:	31	31	69
		Solar panel:	Polycrystalline 5.5V/2W	2pcs packed size:			
		Battery:	18650 lithium battery 3.7V/2400mAh	CTN CBM			
		Light source	Espitar SMD2835 1PCS (CW) 8PCS (purple)	CTN CUFT			
		Lumen:	1W	No./1pc	1		
		CCT	1.2KV	No./2pcs			
		Working time	8-12H (kill mosquito)	20' GP			
		Charging time	3.5H	40'GP			
		Function	UV purple light tempt mosquito, high voltage net to kill mosquito.	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)	1.77		
		Material	Stainless steel	G.W/1pc: (KG)	2.73		
		Lampbody color	Silver	N.W/2pcs: (KG)			
		Size:	Base size: 13, Top: 25, Height:58CM	G.W/2pcs: (KG)			
		Other :	With charged cable				
38		Model No.:	SLTC-226B		L(cm)	W(cm)	H(cm)
		Name:	Solar Mosquito Killer Flood Light	1pcs packed size:	27	27	69
		Solar panel:	Polycrystalline 5.5V/2W	2pcs packed size:			
		Battery:	18650lithium 3.7V/2400mAh	CTN CBM			
		Light source	SMD2835 1PCS (CW) 8PCS (WW)	CTN CUFT			
		Lumen:	1W	No./1pc	1		
		CCT	1.2KV	No./2pcs			
		Working time	8-12H (kill mosquito)	20' GP			
		Charging time	3.5H	40'GP			
		Function	UV	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)	1.75		
		Material	Stainless steel	G.W/1pc: (KG)	2.42		
		Lampbody color	Silver	N.W/2pcs: (KG)			
		Size:	Bottom:14cm, Top: 22cm, Height:58cm	G.W/2pcs: (KG)			
		Other :	With charged cable				
39		Model No.:	SLTC-226C		L(cm)	W(cm)	H(cm)
		Name:	Solar Mosquito Killer Flood Light	1pcs packed size:	31	31	69
		Solar panel:	Polycrystalline 5.5V/2W	2pcs packed size:			
		Battery:	18650lithium 3.7V/2400mAh	CTN CBM			
		Light source	Crystals SMD2835 1PCS (CW) 8PCS (PW)	CTN CUFT			
		Lumen:	1W	No./1pc	1		
		CCT	1.2KV	No./2pcs			
		Working time	8-12H (kill mosquito)	20' GP			
		Charging time	3.5H	40'GP			
		Function	UV	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)	1.87		
		Material	Stainless steel	G.W/1pc: (KG)	2.74		
		Lampbody color	Silver	N.W/2pcs: (KG)			
		Size:	Bottom:14cm, Top: 25cm, Height:59cm	G.W/2pcs: (KG)			
		Other :	With charged cable				

No.	Picture	Technical data		Packing			
40		Model No.:	SLTC-226D		L(cm)	W(cm)	H(cm)
		Name:	Solar UV Light	1pcs packed size:	27	27	69
		Solar panel:	Polycrystalline 5.5V/1W	2pcs packed size:			
		Battery:	18650Lithium 3.7V/2400mAh	CTN CBM			
		Light source	SMD2835 1PCS (CW) 8PCS (PW)	CTN CUFT			
		Lumen:	1W	No./1pc	1		
		CCT	1.2KV	No./2pcs			
		Working time	8-12H (kill mosquito)	20' GP			
		Charging time	3.5H	40'GP			
		Function	UV	40'HQ			
		IP Grade	IP44	N.W/1pc: (KG)	1.21		
		Material	Stainless steel	G.W/1pc: (KG)	1.85		
		Lampbody color	Black	N.W/2pcs: (KG)			
		Size:	Top 19cm, Height:56cm, Spike:13CM	G.W/2pcs: (KG)			
		Other :	Wth charged cable				
41		Model No.:	SLTC-3629		L(cm)	W(cm)	H(cm)
		Name:	Rectangle Lawn light new model	1pcs packed size:	24	24	30.5
		Solar panel:	Monocrystalline silicone 5V/3W	2pcs packed size:			
		Battery:	18650 lifepo4 3.7V/4000mAh	CTN CBM			
		Light source	SMD2835 99PCS, 2W single color	CTN CUFT			
		Lumen:	160LM	No./1pc			
		CCT	CW (6500-7000K) , WW (2800-3100K)	No./2pcs			
		Working time	9-12H	20' GP			
		Charging time	6H	40'GP			
		Function	Optical switch	40'HQ			
		IP Grade	IP55	N.W/1pc: (KG)			
		Material	Die-casting aluminum + PC lampshade	G.W/1pc: (KG)			
		Lampbody color	Black	N.W/2pcs: (KG)			
				G.W/2pcs: (KG)			
		42		Model No.:	SLTC-3628		L(cm)
Name:	Flat Head Solar Spike Lawn Light			1pcs packed size:	18.5	18.5	59
Solar panel:	Polycrystalline 5V/2W			2pcs packed size:	40	20	62
Battery:	18650 lithium 3.7V/2200mAh			CTN CBM	0.05		
Light source	SMD2835 26PCS, CW & WW 1.5W			CTN CUFT	1.75		
Lumen:	180LM			No./1pc	1		
CCT	CW (6500-7000K) , WW (2800-3100K)			No./2pcs	2		
Working time	10-12H			20' GP			
Charging time	5-6H			40'GP			
Function	Lght switch, swithc transfer CW or WW			40'HQ	1		
IP Grade	IP55			N.W/1pc: (KG)	0.74		
Material	Die-casting aluminum + PC lampshade			G.W/1pc: (KG)	1.05		
Lampbody color	Black			N.W/2pcs: (KG)	1.48		
Size:	17.5*17.5*57 (exclude the height of pole)			G.W/2pcs: (KG)	2.66		
				Package mode	K=K140 CTN		